

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		encrypt\$6 with (messag\$ or data or signal\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:32
L1	2	("5867578").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 12:11
L2	1	L1 and (proof\$ or prove or proving or proves or proved or correct\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:12
S1	144	713/181.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 12:11
S2	3411474	transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:33
S3	5571048	associat\$ or relat\$6 or dependen\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:34
S4	1754610	proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:59
S5	738398	decrypt\$5 or interpretat\$5 or unmask\$5 or uncod\$5 or understand\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:35
S6	16595	(encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:35

S7	15029	(transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:00
S8	71738	escrow\$5 or authorit\$5 or certificat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:38
S9	2514620	triple or three	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:59
S10	5748	key and hash and public	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:38
S11	4326274	comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:01
S12	3177575	symetric\$ or equal\$5 or uniform\$5 or "same value"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:41
S13	205144	(comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5) with (triple or three)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:02
S14	29	((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5) with (triple or three)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:02

S15	18	((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5) with (triple or three)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value")) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:04
S16	3309216	triple or three or third	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:59
S17	4352947	proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:00
S18	26983	(transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:03
S19	4946567	comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:04
S20	353730	(comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5) with (triple or three or third)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:06

S21	181	((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5) with (triple or three or third)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:08
S22	75	((((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5) with (triple or three or third)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value"))) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:09

S23	2	(((((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5) with (triple or three or third)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value")) and @ad<"20010218") and (713/181. ccls. and @ad<"20010218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:09
S24	12832	"713"/\$.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 10:12
S25	33	(((((encrypt\$6 with (messag\$ or data or signal\$)) with (transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$)) and ((transmit\$ or sent\$ or send\$5 or tranfer\$5 or email\$5 or transmis\$) with (associat\$ or relat\$6 or dependen\$5 ) with (proof or ticket or correct\$6 or validat\$5 or guarent\$5 or vouch\$5 or receipt or trust\$5 or known\$ or friend or reliabl\$5)) and ((comput\$5 or calculat\$5 or determin\$5 or equat\$5 or decrypt\$5 or unmask\$5 or uncod\$5 or deriv\$5) with (triple or three or third)) and (key and hash and public) and (symetric\$ or equal\$5 or uniform\$5 or "same value")) and @ad<"20010218") and ("713"/\$. ccls. and @ad<"20010218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:57
S26	1	"6430688".URPN.	USPAT	OR	ON	2004/07/27 10:20
S27	8	"6427140".URPN.	USPAT	OR	ON	2004/07/27 10:23
S28	9	"6363488".URPN.	USPAT	OR	ON	2004/07/27 10:28
S29	0	"6161181".URPN.	USPAT	OR	ON	2004/07/27 10:33
S30	0	"6161181".URPN.	USPAT	OR	ON	2004/07/27 10:33

S31	45	"5917912".URPN.	USPAT	OR	ON	2004/07/27 10:40
S32	16	"5841865".URPN.	USPAT	OR	ON	2004/07/27 10:51
S33	1	"6336186".URPN.	USPAT	OR	ON	2004/07/27 10:53
S34	4	"6212634".URPN.	USPAT	OR	ON	2004/07/27 10:55
S35	13	"5668878".URPN.	USPAT	OR	ON	2004/07/27 10:57
S36	48	"5799086".URPN.	USPAT	OR	ON	2004/07/28 10:56
S37	16	"5841865".URPN.	USPAT	OR	ON	2004/07/28 10:57
S38	13	"5668878".URPN.	USPAT	OR	ON	2004/07/28 10:57
S39	68	("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05
S40	3215	threshold and hash and (plural\$ or multiple or triple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:39
S41	222790	(network or Internet) and (check\$6 or verif\$6 or valid\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:00
S42	21579	mod and (Group or set or interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:01
S43	57203	(uniform or constant or equal or "same") with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:02
S44	0	((("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218") and (threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same") with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:03
S45	73133	(uniform or constant or equal or "same" or symmetric or equi\$5) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:03

S46	0	((("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218") and (threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05
S47	0	((("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218") and (threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:03
S48	3	((("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218") and (threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:04
S49	4	((("5799086".URPN. or "5841865".URPN. or "5668878".URPN.) and @ad<"20010218") and (threshold and hash and (plural\$ or multiple or triple))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:04
S50	184	(threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:43
S51	85	((threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key)) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:43

S52	25	((threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key)) and @ad<"20010218") and triple	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:38
S53	102	triple.ab. and DES.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:42
S54	0	(threshold and hash and (plural\$ or multiple or triple)) and ((triple.ab. and DES.ab.) and @ad<"20010218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:39
S55	13068	hash and (plural\$ or multiple or triple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:39
S56	0	(hash and (plural\$ or multiple or triple)) and ((triple.ab. and DES.ab.) and @ad<"20010218") and (mod and (Group or set or interval))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:40
S57	1	(hash and (plural\$ or multiple or triple)) and ((triple.ab. and DES.ab.) and @ad<"20010218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:40
S58	73	(triple.ab. and DES.ab.) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:40
S59	1241	triple with DES	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:48



S60	66	(threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key) and (triple with DES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:43
S61	21	((threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key) and (triple with DES)) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:49
S62	474	(triple with DES) and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:45
S63	141	380/286.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:45
S64	14	((triple with DES) and @ad<"20010218") and (380/286.ccls. and @ad<"20010218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:46
S65	192	threshold\$ with encrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:52
S66	0	((threshold and hash and (plural\$ or multiple or triple)) and ((network or Internet) and (check\$6 or verif\$6 or valid\$6)) and (mod and (Group or set or interval)) and ((uniform or constant or equal or "same" or symmetric or equi\$5) with key) and (triple with DES)) and @ad<"20010218") and (threshold\$ with encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:50

S67	0	((triple with DES) and @ad<"20010218") and (threshold\$ with encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:52
S68	8	(380/286.ccls. and @ad<"20010218") and (threshold\$ with encrypt\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:50
S69	3512	threshold\$ with scheme	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:52
S70	3	((triple with DES) and @ad<"20010218") and (threshold\$ with scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:06
S71	161	713/181.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:03
S72	154	380/286.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:05
S73	2	("5867578").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 14:07
S74	0	380/23.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:06
S75	880	380/30.ccls. and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:06
S76	3	((triple with DES) and @ad<"20010218") and (threshold\$ with scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:06

S77	3	S76 and S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:06
S78	26	"5867578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:07
S79	22	S78 and @ad<"20010218"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 14:07
S80	26	"5867578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 06:23
S81	2	"20020112166"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 13:55
S82	2	("5867578").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 06:23